INDEX TO VOLUME 20

[New names in **bold face** type]

A

Acanthion, 246.
Addy, Edward, A weasel trails a rabbit, 372.
Aenocyon ayersi, 248.
albino: Blarina, 501.
Aldous, Clarence M., Coyotes in Maine, 104.
Allan, Philip F., The status of Peromyscus leucopus ammodytes Bangs, 98.
Allen, Glover M., The mammals of China and Mongolia (review by W. H. Osgood), 113; True's beaked whale in Nova Scotia, 259; John Charles Phillips (obituary), 283; Dog skulls from Uyak Bay, Kodiak Island, 336; Dental anomaly in an Eskimo dog, 372; Bats (review by A. H. Howell), 388; A checklist of African mammals (review by Ernst Schwarz), 388.
Alopex lagopus lagopus, 39.
Alticamelus, 368.
American Society of Mammalogists, Report of Twenty-first Annual Meeting, 383.
antelope, 109.
antelope squirrel, 427.
Antilocapra americana mexicana, 439.
Antrozous pallidus pallidus, 422.
Apodemus, 44.
  agrarius coreae, 42, 43.
  geisha sagax, 42.
  semotus, 45.
  speciosus, 42.
  speciosus peninsulae, 43.
Arizona: Chiricahua Mountains, local list, 418.
armadillo, 328, 489.
Atalapha semota, 369.
Austin, Thomas S. (See Shadle, A. R.)

B

baboon, chacma (habits), 178.
badger, 373.
  Mexican, 425.
Bailey, Vernon, William Bebb (obituary), 132; The American bison, by Garretson (reviewed), 260; Norman McClintock (obituary), 283; The solitary lives of two little pocket mice, 325.
Balaenoptera acutorostrata, 215, 217 (fig.).
  davidsoni, 215.
Barkalow, Fred S., The Leconte free-tailed bat in Alabama, 370.
Bassariscus astutus arizonensis, 423.
bat, desert pale, 422.
  free-tailed, 65, 103 (food).
  fringed, 422.
  Georgian, 103 (food).
  Hawaiian hoary, 369.
  hoary, 102.
  Leconte free-tailed, 370.
  little California, 421.
  little long-eared, 422.
  long-eared, 422.
  long-nosed, 421.
  Merriam, 422.
  Mexican free-tailed, 252, 423.
  Nevada, 423.
  pale brown, 422.
  Rafinesque, 103.
  red, 501.
  Seminole (food), 103.
  silver-haired, 422.
  spotted, 103.
  western little brown, 422.
  western red, 422.
  yellow (food), 103.
Baumgartner, Luther L., Fox squirrel dens, 456.
Beach, Frank A., Maternal behavior of the pouchless marsupial Marmosa cinerea, 315.
bear, 248.
  black, 109, 252, 310 (habits), 423.
  polar, 253, 503.
beaver, 195 (habits), 299 (habits), 358, 486 (breeding habits).
  broad-tailed, 431.

Bebb, William (obituary), 132.
Belomys pearsoni kaleensis, 45.
Bennitt, Rudolf, Badgers in northeastern Missouri and southeastern Iowa, 373.
Benson, Seth B., and Richard M. Bond, Notes on Sorex merriami Dobson, 348.
Beule, John D., Notes on swimming by nestling cottontails, 506.
Bibos gaurus, 15.
bighorn, Mexican, 439.
bighorn sheep, 440.
Biological Abstracts, 137.
bison, 109.
Blair, W. Frank, Some observed effects of stream valley flooding on mammalian populations in eastern Oklahoma, 304; A swimming and diving meadow vole, 375.
Blake, James. (See Hamerstrom and Blake.)
Blarina, 309.
brevicauda, 160, 204 (as food), 347, 501.
brevicauda carolinensis, 304.
brevicauda talpoides, 78, 252.
bobcat, 106.
Bailey, 427.
Bohlinella, 110.
Borell, Adrey A., A colony of rare free-tailed bats, 65.
Bourdelle, E., American mammals introduced into France in the contemporary period, especially Myocaster and Ondatra, 287.
Bowley, Eileen A., Delayed fertilization in Dromicia, 499.
Brachylagus idahoensis, 382.
Bradt, G. W., Breeding habits of beaver, 486.
Bray, Robert S., Sorex fontinalis in Virginia, 102.
Burroughs, R. D., New York weasel preying on the cottontail rabbit, 253.
Burt, William Henry, The Rafinesque bat in Michigan, 103.

C

Cachicama, 329.
hybridus, 331.
Cachicamus, 329.
Cahalane, Victor H., Mammals of the Chiricahua Mountains, Cochise County, Arizona, 418–440.
Cahn, Alvin R., Pleistocene fossils from a cave in Anderson County, Tennessee, 248.
Callosciurus erythraeus thaiwanensis, 45.
Callospermophilus chrysodeirus chrysodeirus, 106.
camel, 366.
Canis latrans mearnsi, 425.
lupus baileyi, 426.
lupus hattai, 40.
lupus hodopylax, 41.
lupus laniger, 43.
Capreolus capreolus ochracea, 42, 43.
pygargus pygargus, 43.
Capricornis crispus, 41.
swinhoii, 45.
caribou, Stone's, 109.
Carr, A. F., Jr., Notes on escape behavior in the Florida marsh rabbit, 322.
Castor canadensis, 195, 248, 250, 359 (map).
canadensis **concisor, 358,** 359.
canadensis frondator, 358, 359, 431.
canadensis mexicanus, 358.
canadensis missouriensis, 360.
canadensis repentinus, 360.
canadensis taylori, 358, 359.
cattle, British wild, 286.
Cervalces alaskensis, 508.
borealis, 508.
roosevelti, 507.
scotti, 507.
Cervus, 44.
canadensis, 248.
canadensis **xanthopygus,** 43.
hortulorum hortulorum, 43.
mantchuricus, 42.
matsumotoi, 40.
merriami, 438.
nippon keramae, 38.
nippon mantchuricus, 43.
praenipponicus, 110.
taiouanus, 45.
unicolor boninensis, 46.
unicolor swinhoii, 45.
Charronia flavigula koreana, 43.
flavigula xanthospila, 45.
chinchilla, 287.
Chinchilla laniger, 287.
chipmunk, 110.

cliff, 428.
eastern, 107.
little northern, 256.
northeastern, 373.
Choeronycteris mexicana, 421.
Citellus, 108, 193 (as food).
beecheyi, 63.
beecheyi fisheri, 106.
grammurus grammurus, 427.
harrisii harrisii, 427.
idahoensis, 182.
oregonus, 63.
spilosoma canescens, 427.
townsendii artemesiae, 184, 188.
townsendii idahoensis, 182.
townsendii mollis, 182, 185, 187.
townsendii vigilis, 182, 185, 186.
tridecemlineatus, 347.
Clarke, Talbott E. (See Cottam, Nelson, and Clarke.)
Clethrionomys, 40, 108, 204 (as food).
gapperi gapperi, 76.
rufocanus rufocanus, 39.
rufocanus smithii, 41.
coati, 423.
Coleman, Robert H., The oldfield mouse in South Carolina, 505.
Condylura, 153, 307.
cristata, 160, 347.
Conepatus mesoleucus venaticus, 438.
cony, 380.
Cook, David B., Cooper's lemming in New York, 258.
Cook, Norman, Notes on captive Tarsius carbonarius, 173.
Corynorhinus rafinesquii pallescens, 226, 422.
rafinesquii rafinesquii, 79.
Cottam, Clarence, A. L. Nelson, and Talbott E. Clarke, Notes on early winter food habits of the black bear in George Washington National Forest, 310.
cotton rat, 292, 306.
Berlandier, 434.
least, 434.
cottontail, 192 (as food), 253, 306, 323, 506, 509.
beach, 365.
Holzner, 436.
little, 436.
cougar, 109.
Cowan, Ian McTaggart, The sharp-headed finner whale of the eastern Pacific, 215.
coyote, 105, 136 (habits), 371.
Mearns, 425.
peg-leg (habits), 190.
coyote-dog, 105.
Cratogeomys merriami oreocetes, 231.
Cricetulus triton nestor, 43.
Crocidura coreae, 42, 43.
lasiura lasiura, 43.
lasiura thomasi, 43.
sodyi, 43.
suaveolens, 139, 142 (fig.), 145, 146.
tadae, 45.
watasei, 44.
yamashinai, 43.
Cryptophractus pilosus, 328.
Cryptotis parva, 75, 78.
Cuon alpinus, 43.
Cushing, John E., Jr., Sea otters and abalones, 371.
Cynomys ludovicianus arizonensis, 427.

D

Dalquest, Walter W., Trapping Ochotona, 108.
Dasypterus floridanus, 103.
Dasypus fenestratus, 334.
hybridus, 329, 332, 333.
kappleri, 329, 332, 335.
kappleri peruvianus, 335.
longicaudus, 334.
lundii, 334.
mazzai, 329, 332, 334, 335.
novemcinctus, 329, 332, 334.
novemcinctus aequatorialis, 334.
novemcinctus hoplipes, 334.
novemcinctus mexicanus, 334.
octocinctus, 334.
peba, 334, 335.
pentadactylus, 335.
pilosus, 328.
septemcinctus, 328, 329, 330 (fig.), 332.
serratus, 334.
uroceras, 334.
Davis, William B., The Townsend ground squirrels of Idaho, 182; The recent mammals of Idaho (review by A. H. Howell), 389.
Davis, William B. and Walter P. Taylor, The bighorn sheep of Texas, 440.

Dearborn, Ned, Sections aid in identifying hair, 346.
deer, 110, 193 (as food), 507.
Arizona white-tailed, 436.
gray mule, 438.
Inyo mule, 109.
mule, 496.
white-tailed, 206 (habits), 310.
dens, fox squirrel, 456.
Depereti, 110.
Didelphis kanguru, 53.
virginiana, 249, 287.
virginiana virginiana, 78, 250.
Didelphys gigantea, 53.
Didermocerus sumatranus, 1.
Diplomesodon pulchellum, 139.
pulchellum pallidus, 149.
Diplothrix, 44.
legata, 44.
Dipodomys, 63.
merriami merriami, 431.
microps alfredi, 353, 354.
microps bonnevillei, 353, 354.
microps **russeolus**, 353.
microps **subtenuis**, 354.
ordii **cineraceus**, 352, 353.
ordii marshalli, 352, 354.
ordii richardsoni, 111.
ordii utahensis, 352.
spectabilis baileyi, 378.
spectabilis spectabilis, 430.
Dixon, Joseph, Some biochemical aspects of deer licks, 109.
dog, bear, 339.
Eskimo, 336, 372.
Hare Indian, 339.
Dorcephalus crooki, 507.
Dremomys owstoni, 45.
Dromicia concinna, 499.
dugong, 229.

E

Eadie, W. Robert, A contribution to the biology of Parascalops breweri, 150.
electrical recording, 479.
elephant, 15.
Elephas primigenius, 248.
elk, Merriam, 438.
Emballonura semicaudata palauensis, 46.
semicaudata sulcata, 46.
Enhydra lutris nereis, 21.
Eothenomys melanogaster kanoi, 45.
Eptesicus fuscus, 249.
fuscus fuscus, 79, 370.
fuscus pallidus, 422.
Equus complicatus, 250.
leidyi, 248.
littoralis, 248.
Erethizon dorsatum, 250.
epixanthum couesi, 438.
Erickson, Arnold B., Beaver populations in Pine County, Minnesota, 195.
Erinaceus amurensis koreensis, 43.
delbatus orientalis, 43.
loricatus, 329.
Errington, Paul L., Observations on young muskrats in Iowa, 465.
Euarctos americanus, 249.
americanus amblyceps, 423.
Euderma maculatum, 103.
Eutamias, 108.
asiaticus lineatus, 40.
asiaticus okadae, 39.
dorsalis dorsalis, 428.
minimus borealis, 256.

F

Felis bengalensis chinensis, 45.
concolor azteca, 426.
diardi, 45.
euptilura microtis, 42, 43.
onca arizonensis, 426.
pardus orientalis, 43.
viverrina, 45.
Fichter, Edson, The dusky pocket mouse in Iowa, 377.
Fisher, Edna M., Habits of the southern sea otter, 21.
Fox, Adrian C., Little northern chipmunk eats dogwood berries, 256; Observations on red squirrel travel in treadwheel, 373; Red squirrel eats basswood and boxelder seeds, 257.
fox, 99.
Arizona gray, 425.
gray, 202 (habits), 256, 294 (habits), 379.
New Mexico desert, 438.
red, 161, 202 (habits), 295.
silver, 287.

G

Galbreath, Edwin C., A second record of Cervalces from east-central Illinois, 507.

Game regulations in Canada, 285.
Garretson, Martin T., The American bison (review by Vernon Bailey), 260.
Geomys breviceps breviceps, 306.
bulleri, 93.
bursarius (as food), 204.
nelsoni, 93.
Giles, Leroy W., Fall food habits of the raccoon in central Iowa, 68.
Gillman, Joseph, Some facts concerning the social life of chacma baboons in captivity, 178.
Glaucomys sabrinus lascivus, 379.
volans, 347.
volans volans, 80.
Glirulus japonicus, 41.
Goff, Carlos Clyde (obituary), 282.
Goldman, E. A., Review of the pocket gophers of the genus Platygeomys, 87; The pocket gophers of the genus Pappogeomys, 93; Remarks on pocket gophers, with special reference to Thomomys talpoides, 231; A substitute name for Perognathus penicillatus seorsus, 257; Nine new mammals from islands in Great Salt Lake, Utah, 351; A new mule deer from Sonora, 496.
Goldman, E. A., and Remington Kellogg, The status of the name Dorcephalus crooki Mearns, 507.
Goslin, Robert, The harvest mouse in central Ohio, 257.
Gregory, Joseph T., Two new camels from the late Lower Pliocene of South Dakota, 366.
Grinnell, Joseph, Effects of a wet year on mammalian populations, 62; Extract from a paper read by President Joseph Grinnell at the 20th annual meeting of the Society on July 21, 1938, 134, 409 (obituary).
grizzly, Nelson, 437.
ground squirrel, 63, 106.
Apache spotted, 427.
golden-mantled, 106.
Townsend (habits), 182.
Guise, C. H. (See Gustafson, A. F.)
Gulo, 39.
luscus, 503.
Gustafson, A. F., H. Ries, C. H. Guise, and W. J. Hamilton, Jr., Conservation in the United States (review by H. H. T. Jackson), 509.

H

hair collection, 260.
hair identification, 346.
Hall, E. Raymond, The spotted bat in Kern County, California, 103; Joseph Grinnell (1877–1939), 409.
Hamerstrom, F. N., Jr., and James Blake, Winter movements and winter foods of white-tailed deer in central Wisconsin, 206.
Hamilton, W. J., Jr. (See Gustafson, A. F.)
Hamilton, W. J., Jr., Small mammals trapped by plants, 110; Albino blarinas, 252; Activity of Brewer's mole (Parascalops breweri), 307.
Hamlett, G. W. D., Identity of Dasypus septemcinctus Linnaeus with notes on some related species, 328.
hare, varying (population), 82.
Harper, Francis, Arthur Newlin Leeds (obituary), 282.
Harrison, George L., Polar bear in Quebec, 503.
Hatfield, Donald M., Winter food habits of foxes in Minnesota, 202; Notes on sex ratio in Minnesota muskrats, 258; Northern pine mouse in Minnesota, 376.
Haugen, Arnold O., Technique for preparing a hair collection for field or laboratory use, 260.
Hawbecker, Albert C., Coyotes prey on goats, 371.
Helictis subaurantiaca subaurantiaca, 45.
Heller, Edmund (obituary), 529.
Hemiechinus auritus, 146.
Heptner, V. G., The Turkestan desert shrew, its biology and adaptive peculiarities, 139.
Heterogeomys, 231, 232.
Hipposideros armiger terrasensis, 45.
turpis, 44.
Hooper, Emmet T., A habitat in coastal California unfavorable to Peromyscus maniculatus, 257; Notes on the sex ratio in Nycticeius humeralis, 369.
Hoover, Earl A. (obituary), 282.

Hostetter, D. Ralph, Chipmunks and birds, 107.
Howell, A. H., Earl E. Hoover (obituary), 282; Descriptions of five new mammals from Florida, 363; Bats, by Glover M. Allen (review), 388; The recent mammals of Idaho, by William B. Davis (review), 389; Description of a new subspecies of the golden mouse, 498; Field book of animals in winter, by Ann Haven Morgan (review), 509; Edmund Heller (obituary), 529.
Hubback, Theodore, The Asiatic two-horned rhinoceros, 1.
Hubbard, Douglass H., Occurrence of the bushy-tailed woodrat (Neotoma cinerea) at Fresno, California, 374.
Huestis, R. R., Crater Lake Peromyscus, 341.
Hydropotes inermis argyropus, 43.
Hystrix pumila, 247.

I

index committee, special 20-year, 530.
Ingles, Lloyd G., Observations on a nest of the long-tailed weasel, 253.

J

Jackson, Hartley H. T., A record black bear, 252; Polar bear in Lake St. John District, Quebec, 253; Conservation in the United States, by A. F. Gustafson, H. Ries, C. H. Guise, and W. J. Hamilton, Jr. (review), 509.
Jacobson, Karl A. (obituary), 133.
Jaculus giganteus, 53.
jaguar, Arizona, 426.
Japanese Empire, distribution of mammals, 37.
Jerboa gigantea, 53.
Jones, Gordon W., An unusual woodchuck refuge, 504.
Jones, H. Walter, Jr., Winter studies of skunks in Pennsylvania, 254.

K

kangaroo, Cook's, 50, 54 (fig.).
great, 50.
great gray, 51, 55 (fig.).
kangaroo rat, 111.
Arizona, 430.
banner-tailed, 378.
Merriam, 431.
Kellogg, Remington. (See Goldman, E. A.)
Kentucky (local list), 77.
Knobloch, Irving W., Death on the highway, 508.
Kolb, C. Haven, Meadow mouse trapped by plant stalks, 375.
Komarek, E. V., A progress report on southeastern mammal studies, 292.
Kuroda, Nagamichi, Distribution of mammals in the Japanese Empire, 37.

L

Lasionycteris noctivagans, 79, 347, 422.
Lasiurus borealis, 369.
borealis borealis, 79, 501.
borealis teliotis, 422.
cinereus, 102, 369.
grayi, 369.
seminolus, 103.
semotus, 369.
Leeds, Arthur Newlin (obituary), 282.
lemming, Cooper's, 258.
Lemur macaco fulvus, 503.
macaco macaco, 503.
Lepus americanus, 204 (as food), 248, 347.
americanus macfarlani, 82.
angustidens, 41.
brachyurus brachyurus, 41.
californicus 382.
californicus eremicus, 435.
californicus melanotis, 110.
californicus melanotis, 306.
coreanus, 43.
gaillardi gaillardi, 436.
sinensis formosus, 45.
sylvaticus sylvaticus, 365.
timidus ainu, 40.
timidus orii, 39, 40.
townsendii, 382.
townsendii campanius, 203, 204 (as food).
Lewis, George Chase, Notes on a pair of tarsiers from Mindanao, 57.
longevity, Perognathus, 505.
Loricatus, 329.
hybridus, 333.
niger, 334.
Lowe, John N. (obituary), 133.
Lutra canadensis, 249, 371.

Lyman, Charles P., A vestigial lower incisor in the dugong, 229.
Lynx, 39.
lynx cervaria, 43.
rufus, 379.
rufus baileyi, 427.
rufus rufus, 79.

M

Macaca, 44.
cyclopis, 45.
Macropus elegans, 55, 56.
giganteus, 50.
giganteus melanops, 55.
major, 53.
parryi, 55.
robustus, 55.
ruficollis, 55.
Macrotus californicus, 226, 228.
Macy, Ralph W. (see Macy, Ruby W.); A correction, 382.
Macy, Ruby W., and Ralph W. Macy, Hawks as enemies of bats, 252.
Mammut americanum, 248, 250.
Manis pentadactyla pentadactyla, 45.
Marmosa alstoni, 319.
cinerea, 315, 316 (fig.).
isthmica, 315.
zeledoni, 315, 319.
marmot, 63.
Marmota monax, 205, 248.
monax monax, 71, 80, 504.
Martes melampus coreensis, 43.
melampus tsuensis, 42.
zibellina brachyura, 40.
zibellina hamgyenensis, 43.
zibellina kamtschadalica, 39.
zibellina sahalinensis, 39.
McClintock, Norman (obituary), 283.
McClure, H. Elliott, Red bats at Lewis, Iowa, 501.
McDermott, W. C., The ape in antiquity (review by A. H. Schultz), 114.
Megaderma lyra, 228.
Megatylopus, 367.
Mephitis macroura milleri, 425.
mephitis, 249, 287.
mephitis elongata, 295.
mephitis estor, 425.
mephitis nigra, 79, 254, 493.
Mesoplodon bidens, 259.
densirostris, 259.
europaeus, 259.
grayi, 259.
layardii, 259.
mirus, 259.
pacificus, 259.
Meyland, G. C., John N. Lowe (obituary), 133.
Micromys minutus aokii, 42.
Microsorex hoyi hoyi, 251.
Microtus, 108, 111, 203, 204 (as food), 309, 479.
californicus, 258.
kikuchii, 45.
kishidai, 43.
montanus montanus, 254.
pennsylvanicus, 160, 248, 347.
pennsylvanicus pennsylvanicus, 81, 110, 375.
uchidae, 39.
Miller, F. W., Re-assimilation of food by the banner-tailed kangaroo rat, 378; The hand capture of conies, 380.
Miller, Gerrit S., Jr., Note on the lectotype of Lasiurus semotus (H. Allen), 369.
mink, American, 287.
Mogera, 44.
robusta, 43.
wogura coreana, 43.
wogura kobeae, 41.
mole, 304, 306.
Brewer's (habits), 307.
hairy-tailed (habits), 150.
Klamath (as food), 254.
star-nosed, 307.
south Florida, 363.
Townsend, 499.
Moore, A. W., Notes on the Townsend mole, 499.
moose, Alaska, 109.
Morgan, Ann Haven, Field book of animals in winter (review by A. H. Howell), 509.
Moschus, 39.
moschiferus parvipes, 43.
mountain lion, 452.
mouse (as food), 313.
Arizona white-footed, 433.
Baird pocket, 430.
brush, 433.
cactus, 432.
Chihuahua deer, 433.

Chiricahua harvest, 432.
cotton, 296, 298, 306.
deer, 193 (as food), 341.
desert harvest, 432.
dusky pocket, 377.
eastern desert pocket, 430.
eastern field, 110.
golden, 296, 298, 498.
harvest, 257.
house, 297, 376, 435.
intermediate pocket, 430.
Kansas pocket, 430.
large-eared deer, 434.
long-nosed deer, 434.
meadow, 193 (as food), 254 (as food), 375.
northern pine, 376.
oldfield, 292, 297, 505.
pallid beach, 363.
pine, 298.
pocket (habits), 325.
St. Andrews beach, 364.
scorpion, 432.
Sonoran deer, 433.
tawny deer, 433.
wood, 304, 305.
Mowbray, Vincent, Notes on the Sierra Nevada flying squirrel, 379.
Muletia, 329.
propalatum, 331.
septemcincta, 333.
Muntiacus reevesii micrurus, 45.
Murie, Adolph, Report of field investigation on coyote-prey interrelationships, 136.
Murray, Leo T., An albino Blarina from Indiana, 501.
Mus bactrianus yamashinai, 42, 43.
caenguru, 53.
cangaru, 53.
canguru, 56.
caroli boninensis, 46.
caroli boninensis, 47.
formosanus, 45.
kurilensis, 39.
molossinus yonakuni, 44.
musculus, 147, 258, 297, 347.
musculus moniyamai, 47.
musculus musculus, 81, 376, 435.
muskrat, 258, 287, 465 (young), 506.
Mustela, 44, 111, 438.
cicognanii, 258.
erminea kanei, 39, 40.
erminea nippon, 41.
frenata arizonensis, 438.
frenata neomexicana, 438.
frenata nevadensis, 253.
frenata noveboracensis, 79, 253, 372.
nivalis mosanensis, 43.
rixosa allegheniensis, 75.
rixosa namiyei, 41.
sibirica coreana, 42.
sibirica manchurica, 43.
sibirica quelpartis, 42.
sibirica taivana, 45.
vison, 287.
vison mink, 79.
Mylodon, 248.
Mylohyus exortivus, 250.
nasutus, 248.
setiger, 248.
Myocaster, 287.
coypus, 287.
Myotis californicus californicus, 421.
californicus pallidus, 228.
evotis chrysonotus, 422.
lucifugus, 347.
lucifugus lucifugus, 78.
sodalis, 78.
thysanodes, 422.
velifer velifer, 225, 228.
volans interior, 422.

N

Naemorhedus raddeanus, 43.
Napaeozapus, 250, 309.
insignis roanensis, 77.
Nasua narica pallida, 423.
Nelson, A. L. (see Cottam, Nelson, and Clarke).
Nelson, Marcus C. (see Williams, Cecil S.).
Neomys, 142.
watasei, 39.
Neotoma, 108.
albigula albigula, 434.
cinerea cinerea, 374.
floridana, 250.
lepida lepida, 357.
lepida marshalli, 357.
mexicana mexicana, 435.
pennsylvanica, 81, 248.
Nichol, A. A., Study of bighorn in Arizona, 136.

Nichols, David G., Notes on the house mice of California, 376.
Notiosorex crawfordi, 102.
crawfordi crawfordi, 421.
nutria, 287.
Nyctereutes procyonoides albus, 40.
procyonoides koreensis, 43.
procyonoides ussuriensis, 43.
Nycteris borealis, 347.
Nycticeius humeralis, 103, 369.

O

Ochotona, 40.
hyperborea coreana, 43.
princeps cuppes, 108.
princeps ventorum, 380.
yesoensis, 40.
Odocoileus couesi, 436, 507.
hemionus canus, 438, 507.
hemionus crooki, 507.
hemionus **sheldoni, 497.**
virginianus, 248, 250.
virginianus virginianus, 81.
Ondatra, 287.
zibethica, 70 (as food), 204 (as food), 250, 287, 347, 506.
zibethica zibethica, 76, 81, 258, 465.
Onychomys leucogaster brevicaudus, 354.
leucogaster melanophrys, 354.
leucogaster **utahensis, 354,** 355.
torridus torridus, 432.
opossum, 161.
Virginia, 250, 287.
Orcinus rectipinna, 21.
Orr, Robert T., Extension of the range of Sorex tundrensis, 251; Longevity in Perognathus longimembris, 505.
Orthogeomys, 231, 232.
Osgood, Wilfred H., The mammals of China and Mongolia, by Glover M. Allen (review), 113.
otter, 370, 371.
Ovis canadensis mexicana, 439.
canadensis texianus, 440.

P

Paguma larvata taivana, 45.
Palmer, T. S., Bohlinella, a new name for Deperetia Shikama, 110.
Papio comatus, 178.
hamadryas, 178, 181.
Pappogeomys, 93 (revision), 231.
albinasus, 93.
bulleri, 87.
bulleri albinasus, 94.
bulleri **amecensis, 97.**
bulleri bulleri, 94.
bulleri **burti, 97.**
bulleri **flammeus, 95.**
bulleri **lagunensis, 96.**
bulleri **nayaritensis, 94.**
bulleri nelsoni, 94.
Parascalops breweri, 78, 150, 307.
parasites: skunks, 493.
Patton, Clyde P., Distribution notes on certain Virginia mammals, 75.
Pecari angulatus sonoriensis, 436.
peccary, 248.
Yaqui, 436.
Pentalagus, 44.
furnesi, 44.
Perkins, R. Marlin, Subspecific crosses between Lemur macaco macaco and Lemur macaco fulvus, 503.
Perognathus, 63.
flavescens flavescens, 377.
flavescens perniger, 377.
flavus flavus, 430.
hispidus paradoxus, 430.
intermedius intermedius, 430.
longimembris, 505.
pacificus, 325.
parvus olivaceus, 352.
parvus **pierus, 352.**
penicillatus eremicus, 430.
penicillatus sabrinus, 257.
penicillatus seorsus, 257.
spinatus seorsus, 257.
Peromyscus, 108, 111, 203, 204 (as food), 309.
boylii rowleyi, 433.
crinitus auripectus, 356.
crinitus crinitus, 356.
eremicus eremicus, 432.
gossypinus, 296, 298.
gossypinus anastasae, 364.
gossypinus palmarius, 364.
gossypinus **restrictus, 364.**
leucopus, 347.
leucopus ammodytes, 98.
leucopus arizonae, 433.
leucopus noveboracensis, 80, 99, 108, 160, 304.

maniculatus, 257, 341.
maniculatus blandus, 433.
maniculatus gambeli, 341.
maniculatus gracilis, 108.
maniculatus gunnisoni, 356.
maniculatus **inclarus, 355.**
maniculatus **pergracilis, 356.**
maniculatus peridoneus, 356.
maniculatus rubidus, 341.
maniculatus rufinus, 433.
maniculatus sonoriensis, 356, 433.
nasutus, 434.
nuttalli, 296.
nuttalli **lewisi, 498.**
nuttalli nuttalli, 76, 80.
polionotus, 292.
polionotus albifrons, 364.
polionotus **decoloratus, 363.**
polionotus leucocephalus, 364.
polionotus niveiventris, 363.
polionotus **peninsularis, 364.**
polionotus phasma, 363.
polionotus polionotus, 505.
truei truei, 434.
Petaurista grandis, 45.
lena, 45.
leucogenys hintoni, 43.
pectoralis, 45.
Philip, Cornelius B., A parasitological reconnaissance in Alaska with particular reference to varying hares, 82.
Phillips, John Charles, (obituary) 283.
Phyllostomus hastatus panamensis, 228.
Pipistrellus, 65.
hesperus hesperus, 228.
hesperus merriami, 422.
subflavus subflavus, 79, 103.
Pitymys, 480.
nemoralis, 304.
pinetorum, 347, 376.
pinetorum auricularis, 81.
pinetorum scalopsoides, 160.
Platygeomys, 87 (revision).
angustirostris, 89, 90.
fumosus, 88, 90, 91.
gymnurus gymnurus, 88.
gymnurus **imparilis, 87, 89.**
gymnurus **inclarus, 87, 88.**
neglectus, 87.
planiceps, 87, 91, 92, 231.
tylorhinus, 91.
tylorhinus angustirostris, 87.
varius, 90.
zinseri, 91.
Pliauchenia gigas, 367.
humphreysiana, 367.
magnifontis, 367 (fig.).
minima, 367.
singularis, 367.
spatula, 367.
vera, 367.
vulcanorum, 367.
pocket gopher, 63, 87, 93, 306.
mountain, 429.
Sulphur Springs Valley, 430.
porcupine, 109, 246.
Arizona, 438.
prairie dog, Arizona, 427.
Praopus, 329.
hybridus, 331.
peba, 335.
Preble, Norman A., Climbing ability of the northeastern chipmunk, 373.
Procamelus, 367.
benidentatus, 368.
coartatus, 368.
concerptus, 368.
edenensis, 368.
edenensis raki, 368.
elrodi, 368.
gracilis, 368.
grandis, 367 (fig.).
inaequidens, 368.
lacustris, 368.
leptognathus, 368.
madisonius, 368.
major, 368.
minimus, 368.
minor, 368.
occidentalis, 367, 368.
robustus, 368.
Procyon lotor, 248, 249, 287.
lotor lotor, 68, 79.
lotor mexicanus, 423.
pronghorn, Mexican, 439.
Pteropus dasymallus daitoensis, 44.
dasymallus formosus, 45, 46.
dasymallus inopinatus, 44.
dasymallus yayeyamae, 44.
insularis, 46.
mariannus loochoensis, 44.
mariannus paganensis, 46.
mariannus pelewensis, 46.
mariannus ualanus, 46.

mariannus uluthiensis, 46.
mariannus yapensis, 46.
molossinus, 46.
phaeocephalus, 46.
pilosus, 46.
pselaphon, 46.
tuberculatus, 46.
puma, Sierra Madre, 426.

R

rabbit, black-tailed jack, 435.
Florida marsh, 322 (habits).
Gaillard's jack, 435.
jack, 110, 192 (as food), 306.
snowshoe, 192 (as food).
swamp, 259, 306.
raccoon, 68 (habits), 287.
Mexican, 423.
ragondin, 288.
Rangifer, 39.
rat, Norway, 438.
rat musque, 289.
Rattus coxinga, 45.
culturatus, 45.
exulans, 47.
exulans micronesiensis, 47.
jerdoni osimensis, 44.
mindanensis, 45.
norvegicus, 81, 317, 319, 347, 438.
norvegicus norvegicus, 47.
rattus alexandrinus, 47.
Raven, H. C., The identity of Cook's kangaroo, 50.
Reithrodontomys fulvescens aurantius, 102.
humulis humulis, 80, 257.
humulis merriami, 80.
megalotis, 258.
megalotis arizonensis, 432.
megalotis megalotis, 355, 432.
megalotis ravus, 355.
raviventris, 258.
rhinoceros, Asiatic two-horned, 1 (habits, figs.)
Rhinoceros sondaicus, 13.
Ries, H. (see Gustafson, A. F.)
ring-tail, Arizona, 423.
rock-squirrel, 427.

S

Sangamona fugitiva, 248.
Scalopus, 153, 159, 171.
aquaticus, 347.
aquaticus bassi, 363.
aquaticus intermedius, 304.
aquaticus machrinus, 78, 307.
aquaticus parvus, 363.
aquaticus pulcher, 306.
Scapanus latimanus dilatus, 254.
Schantz, Viola S., A white-footed bobcat, 106; Karl A. Jacobson (obituary), 133.
Schludermann-Papouschek, Karl, Jan Versluys (obituary), 529.
Schorger, A. W., Wolverine in Michigan, 503; Notes on the muskrat, 506.
Schultz, A. H., The ape in antiquity, by W. C. McDermott (review), 114.
Schwarz, Ernst, A new porcupine (Thecurus) from Borneo, 246; A checklist of African mammals, by Glover M. Allen (review), 388.
Sciuropterus russicus aluco, 43.
russicus athene, 39, 40.
Sciurus carolinensis 203, 248.
carolinensis carolinensis, 75, 80.
carolinensis leucotis, 76.
chiricahuae, 429.
niger rufiventer, 80.
vulgaris orientis, 40.
Scott, Thomas G., Number of fetuses in the Hoy pigmy shrew, 251.
Scott, W. E., Swimming power of the Canadian otter, 371.
sea lion, 137 (protection).
sea otter, 371, 407.
southern, 21 (habits, figs.).
seal, northern elephant, 285.
seladang, 15.
Selle, Raymond M., Golden-mantled ground squirrels raised in captivity, 106.
Shadle, Albert R., and Thomas S. Austin, Fifteen months of beaver work at Allegany State Park, N. Y., 299.
sheep, Dall, 109.
Sherman, Franklin, The swamp rabbit (Sylvilagus aquaticus aquaticus) in South Carolina, 259.
Sherman, H. B., Notes on the food of some Florida bats, 103.
shrew, Carolina, 304, 305.
gray, 421.
Hoy pigmy, 251.
Rocky Mountain, 421.

saddle-backed, 244.
short-tailed, 161, 252.
Turkestan desert, 139, 140, 144 (fig.)
Sicista, 39.
caudata, 39.
Sigmodon hispidus, 292.
hispidus berlandieri, 434.
hispidus texianus, 306.
minimus minimus, 434.
Simpson, George Gaylord, Ownership of separates, 111.
skunk, 99, 254 (habits), 493, 509.
Arizona, 425.
Arizona spotted, 424.
hog-nosed, 438.
northern hooded, 425.
striped, 287, 295.
Smith, Clarence F., Ground squirrel captured by a gopher snake, 106.
Smith, Laurence H., Notes on an otter fishing, 370.
Smith, Ronald W., A new race of Sorex arcticus from Nova Scotia, 244.
Smith, Wendell P., The transfer of a Peromyscus family, 108.
Sollberger, Dwight E. (see Welter, W. A.)
Sorex, 111, 204 (as food),
annexus, 43.
arcticus arcticus, 244.
arcticus laricorum, 244.
arcticus **maritimensis, 244.**
cinereus, 160, 252, 347.
daphaenodon daphaenodon, 39.
daphaenodon orii, 39.
daphaenodon yesoensis, 40.
fontinalis, 102.
fumeus, 309.
fumeus fumeus, 78.
leucogaster, 39.
merriami leucogenys, 348.
merriami merriami, 348.
minutus gracillimus, 40.
pulchellus, 139.
shinto saevus, 40.
tundrensis, 251, 252.
unguiculatus, 40.
ultimus, 143.
vagrans amoenus, 348.
vagrans monticola, 421.
Spencer, Donald A., Electrical recording of the activities of small mammals, 479.
Sperry, Charles C., Food habits of peg-leg coyotes, 190.
Spilogale arizonae arizonae, 424.
putorius, 79.
Sprague, James M., Mammal distribution records for Kansas, 102; Notes on mammal mortality on highways, 110.
squirrel, 313 (as food).
Chiricahua, 429.
flying, 379.
fox, 456.
gray, 203 (as food).
red, 203, 205 (as food), 257, 373.
tree, 509.
Stager, Kenneth E., Status of Myotis velifer in California, with notes on its life history, 225.
Stegeman, LeRoy C., Some parasites and pathological conditions of the skunk (Mephitis mephitis nigra) in central New York, 493.
Stoner, Dayton, Remarks on abundance and range of the opossum, 250.
Suncus, 142.
Sus leucomystax coreanus, 43.
leucomystax riukiuanus, 38, 44.
leucomystax taivanus, 45.
Svihla, Arthur, and Ruth Dowell Svihla, Elton's method of preparing mammal skins, 111.
Svihla, Ruth Dowell (see Svihla, Arthur).
swimming; cottontail, 506.
Sylvilagus 372, 506.
aquaticus aquaticus, 259, 306.
audubonii minor, 436.
floridanus, 250, 347.
floridanus alacer, 306.
floridanus **ammophilus, 365.**
floridanus floridanus, 365.
floridanus holzneri, 436.
floridanus mallurus, 323, 365.
floridanus mearnsii, 81, 203, 204 (as food).
nuttalli, 382.
palustris paludicola, 322.
Synaptomys, 309.
cooperi, 160.
cooperi cooperi, 258.
cooperi stonei, 81.

T

Taber, F. Wallace, Extension of the range of the armadillo, 489.

Tadarida cynocephala, 103, 252, 370, 382.
macrotis, 65.
mexicana, 67, 382, 423.
nevadensis, 423.
Talpa, 164, 165, 171.
Tamias striatus, 107, 248, 347.
striatus fisheri, 80.
striatus lysteri, 110.
Tamiasciurus hudsonicus, 203, 257, 373.
hudsonicus abieticola, 75.
Tanupolama, 367.
tapir, 16, 248.
Tapirus haysii, 248, 250.
tennesseae, 248.
tarsier, 57 (habits), 173 (habits).
Tarsius carbonarius, 57, 173.
Tatu, 329.
megalolepis, 331.
novemcinctum texanum, 334.
pastasae, 335.
Tatus, 329.
minor, 334.
Tatusia, 329.
boliviensis, 334.
brevirostris, 334.
granadiana, 334.
hybrida, 331.
leptocephala, 334.
leptorhinus, 334.
leptorhynchus, 334.
megalolepis, 331.
novemcincta mexianae, 334.
platycercus, 334.
propalatum, 331.
septemcinctus, 334.
Taxidea taxus berlandieri, 425.
Taylor, Walter P., (see Davis, William B.).
Terres, J. Kenneth, Tree-climbing technique of a gray fox, 256.
Thalarctos maritimus, 39.
maritimus ungavensis, 253.
Thecurus **major, 246.**
sumatrae, 246.
Thomomys bottae, 233.
bottae collinus, 429.
bottae extenuatus, 430.
clusius, 232.
idahoensis, 233.
monticola, 233.
ocius, 233.
pygmaeus, 233.
quadratus fisheri, 233.
talpoides agrestis, 234.
talpoides **andersoni,** 234, 235.
talpoides **badius,** 235, 242.
talpoides bridgeri, 233, 234.
talpoides bullatus, 234.
talpoides caryi, 234.
talpoides clusius, 234.
talpoides columbianus, 233, 234.
talpoides **couchi,** 235, 243.
talpoides douglasii, 234.
talpoides **ericaeus,** 235, 243.
talpoides falcifer, 234.
talpoides fisheri, 233, 234.
talpoides fossor, 232, 234.
talpoides fuscus, 233, 234.
talpoides **incensus,** 235, 240.
talpoides kaibabensis, 234.
talpoides **kelloggi,** 235, 237.
talpoides levis, 234.
talpoides limosus, 235.
talpoides loringi, 234.
talpoides macrotis, 234.
talpoides **medius,** 235, 241.
talpoides melanops, 235.
talpoides monoensis, 234.
talpoides moorei, 234.
talpoides myops, 234.
talpoides nebulosus, 234.
talpoides parowanensis, 234.
talpoides pryori, 233, 234.
talpoides quadratus, 233, 234.
talpoides **relicinus,** 235, 239.
talpoides rufescens, 234.
talpoides saturatus, 234.
talpoides shawi, 235.
talpoides tacomensis, 235.
talpoides talpoides, 233, 234.
talpoides **tenellus,** 235, 238.
talpoides **trivialis,** 235, 236.
talpoides uinta, 233, 234.
talpoides wallowa, 234.
talpoides yelmensis, 235.
umbrinus tolucae, 87, 231.
umbrinus vulcanius, 231.
Trichys, 247.
Twichell, A. R., Notes on the southern woodchuck in Missouri, 71.

U

Urocyon cinereoargenteus, 256, 294, 379.
cinereoargenteus cinereoargenteus, 79.
cinereoargenteus ocythous, 202.
cinereoargenteus scottii, 425.

Urotrichus talpoides adversus, 42.
Ursus arctos beringianus, 39.
arctos lasiotus, 40.
floridanus, 248.
nelsoni, 437.
thibetanus formosanus, 45.
thibetanus japonicus, 42.

V

Versluys, Jan, 529 (obituary).
Virginia: local list, 75.
Viscaccia viscaccia, 287.
viscacha, 287.
Viverricula indica pallida, 45.
vole, meadow, 375.
pine, 304, 305.
Vulpes fulva, 202, 295.
fulva argentata, 287.
fulva fulva, 79.
kiyamasai, 43.
macrotis neomexicana, 438.
vulpes peculiosa, 43.
vulpes schrencki, 39, 40.
vulpes splendidissima, 39.

W

Walker, Marion N., Carlos Clyde Goff (obituary), 282.
Wallabia cangaru, 53.
wallaby, pretty-face, 54 (fig.).
walrus, 137 (protection).
Warren, Edward R., and E. Raymond Hall, A new subspecies of beaver from Colorado, 358.
weasel, 372, 438.
Arizona, 438.
Bonaparte's, 258.
long-tailed, 253.
New Mexico bridled, 438.
New York, 253.
Weaver, Richard Lee, Attacks on porcupine by gray fox and wildcats, 379.
Welter, Wilfred A., and Dwight E. Sollberger, Notes on the mammals of Rowan and adjacent counties in eastern Kentucky, 77.
whale, finback, 137.
humpback, 137.
killer, 21.
sei, 137.
sharp-headed finner, 215.
sperm, 137.
sulphur-bottom, 137.
True's beaked, 259.
whiptail, 54 (fig.).
wildcat, 379.
Willett, G., An extension of the known range of Notiosorex crawfordi, 102.
Williams, Cecil S., and Marcus C. Nelson, Highway mortality of rabbits in Idaho, 380.
wolf, Mexican, 426.
wolverine, 503.
woodchuck, 71 (habits), 205 (as food), 504.
woodrat, bushy-tailed, 374.
Mexican, 435.
white-throated, 434.

Y

Yerbua gigantea, 50.

Z

Zapus, 250.
hudsonius, 160, 347.
Zerbua kangaru, 53.
Zygogeomys, 231.
trichopus, 87.